



REPUBLIC OF KENYA

COUNTY ASSEMBLY OF KILIFI

SECOND ASSEMBLY –FOURTH SESSION

THE HANSARD

Wednesday, 10th June 2020

*The House met at the County Assembly Chamber,
Malindi Town, at 2:30 p.m.*

[The Speaker (Hon. Kahindi) in the Chair]

STATEMENTS

SUB-STANDARD QUALITY OF THE NEWLY CONSTRUCTED YEDHI/BORAIMANI WATER TANK

Hon. Kenga: Thank you very much Mr. Speaker. The following is a Statement directed to the County Executive Committee Member (CECM) in charge of Water, Environment, Forestry and Solid Waste Management:-

Whether the CECM in charge of Water, Environment, Forestry and Solid Waste Management is aware that the water tank built at Yedhi/Boraimani is heavily leaking few days after its completion and that it has not been able to serve its purpose thus denying the community the much needed water during this difficult moment of the Covid-19 pandemic. Whether the contractor complied with the provisions of the BQ (Bill of Quantity) given.

If yes, what measures is the CECM putting in place so as to provide a solution to this problem and how soon will this problem be solved?

The Speaker (Hon. Kahindi): Next.

Disclaimer: *The electronic version of the Official Hansard Report is for information purposes only. A certified version of this Report can be obtained from the Hansard Editor.*

LACK OF A PUBLIC TOILET AT MATANOMANE TRADING CENTRE

Hon. Thaura: Thank you Mr. Speaker. This is a Statement to the CECM in charge of Trade, Tourism and Cooperatives, through the Chairperson; Committee on Trade, Tourism and Cooperatives:-

Whether, the CECM in charge of Trade, Tourism and Cooperatives is aware that there is no public toilet at Matanomane Trading Centre in Sokoke Ward.

If yes, what plans does the CECM have to ensure that a toilet is put up at the trading centre to avoid the health risks related to lack of such social amenities? Thank you.

The Speaker (Hon. Kahindi): Next.

DILAPIDATED SHOMELA DISPENSARY BUILDING

Hon. Kiraga: Thank you so much Mr. Speaker. This is a Statement directed to the CECM in charge of Health Services through the Chairperson, Committee on Health Services:-

Whether the CECM in charge of Health Services is aware that Shomela Dispensary has cracks all over, endangering the lives of residents seeking services at the facility.

Whether the CECM is further aware that the matter was reported to her by the technical officers sent to the facility for assessment and that she promised prompt action after she was presented with the report.

If yes,

- 1) Why has it taken so long since 2018 for the renovation to take place?
- 2) What measures is she taking to make sure that the facility is renovated soonest possible and when? Thank you very much.

ADJOURNMENT

The Speaker (Hon. Kahindi): Hon. Members, in the absence of any other business in the Order Paper, this House stands adjourned.

The House rose at 2:35p.m.

Disclaimer: *The electronic version of the Official Hansard Report is for information purposes only. A certified version of this Report can be obtained from the Hansard Editor.*